



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/828,470	04/21/2004	Tomotoshi Kanatsu	00862.023668.	5344

5514 7590 11/13/2008
FITZPATRICK CELLA HARPER & SCINTO
30 ROCKEFELLER PLAZA
NEW YORK, NY 10112

EXAMINER

LOVEL, KIMBERLY M

ART UNIT	PAPER NUMBER
2167	

MAIL DATE	DELIVERY MODE
11/13/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

DETAILED ACTION

1. Claims 1-5, 7, 8, 10 and 12-19 are rejected.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 28 August 2008 has been entered.

35 USC § 101 - Clarifications

3. Claims 17 and 18 include a computer-readable medium. The medium is construed as being the ROM or storage medium mentioned on page 51, lines 20-23 and is considered to be limited to statutory mediums.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. **Claims 1-5, 7, 8, 10, 12, 13 and 15-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No 5,911,139 to Jain et al (hereafter Jain et al) in view of US PGPub 2002/0106135 to Iwane (hereafter Iwane) in view of US Patent No 6,961,463 to Loui et al (hereafter Loui) in view of US PGPub 2002/0176116 to Rhodes et al (hereafter Rhodes).**

Referring to claim 1, Jain discloses an image processing method implemented by a computer for selectively storing an input image in a database, comprising the steps of:

(a) acquiring first search information [alpha-numeric query] associated with the input image on the basis of information input by a user (see column 9, lines 11-15);

(b) acquiring feature data [feature vector] contained in the input image as second search information (see column 9, lines 45-48);

(c) searching for an original data file corresponding to the input image in the database by using the first [alpha-numeric query] and second [feature vector] search information (see column 9, lines 52-67); and

(d) converting the input image into data [vector data] and storing the data in the database [database 132] (Jain: see column 9, lines 40-52).

However, Jain et al fails to explicitly disclose the further limitation of the data in step (d) being outline data and wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object. Iwane discloses obtaining an input image and then generating image information in order to compare objects (see abstract), including the further limitation of converting the input image into outline data and storing the outline data in the database (see [0244]), wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object (see [0173]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the outlining method of Iwane in order to gather the feature information stored by Jain. One would have been motivated to do so in order to be able to extract features from an image in a case where OCR is not a viable solution (Iwane: see [0010]-[0012]).

However, the combination of Jain and Iwane (hereafter Jain/Iwane) fails to explicitly disclose the further limitation of (d) wherein the image is only stored in a case where the original file corresponding to the input is not found in said step (c); and (e) declining to store the input image data into the database, in a case that the image file corresponding to the input image is found in said step (c). Loui discloses a duplicate detection algorithm to determine whether two pictures are so similar that a consumer would only put one of them in the album [database], including the further limitations of wherein the image is only stored in a case where the image file corresponding to the input is not found in said step (c); and (e) declining to store the input image data into the

Art Unit: 2167

database, in a case that the image file corresponding to the input image is found in said step (c) (see column 4, lines 11-51) since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the duplicate detection algorithm of Loui with the storage system of Jain/Iwane. One would have been motivated to do since the methodology of Loui can be embodied in any different types of systems (Loui: see column 7, lines 13-24) and since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

The combination of Jain/Iwane and Loui (hereafter Jane/Iwane/Loui) fails to explicitly disclose the further limitations of attempting to detect pointer information from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is detected. Rhodes discloses embedding watermarks into images (see abstract), including the further limitations of attempting to detect pointer information [watermark readers perform this function] from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is detected [carry a pointer or network address to its electronic original] (see [0024] and [0043]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to first attempt to search for a watermark pointing to the location of an original file as disclosed by Rhodes before searching for the file utilizing the search features of

Art Unit: 2167

Jain/Iwane/Loui. One would have been motivated to do so in order to increase the efficiency and accuracy of the searching process since a pointer links directly to the original file.

Referring to claim 2, the combination of Jain/Iwane/Loui and Rhodes (hereafter Jain/Iwane/Loui/Rhodes) discloses the method according to claim 1, further comprising the step of: (f) registering the first search information as an index [index value] for searching for the original data file in an index file (Jain: see column 7, lines 27-32).

Referring to claim 3, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, wherein the first search information comprises a keyword [keywords] for searching using the input image (Jain: see Fig 3, item 201 and column 9, lines 11-15).

Referring to claim 4, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, wherein the first search information comprises a data size [file size] of the original data file (Jain: see Fig 3, item 201 and column 9, lines 11-15).

Referring to claim 5, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, wherein the first search information comprises date information [File Date] of the original data file (Jain: see Fig 3, item 201 and column 9, lines 11-15).

Referring to claim 7, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, wherein the second search information comprises a character code of a character recognition [face recognition] result which is obtained by performing a character recognition process with respect to a character region in the input image (Jain: see column 25, lines 31-41).

Referring to claim 8, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, wherein the second search information comprises feature data of each block obtained by the region segmentation of the input image (Jain: see column 9, lines 45-67).

Referring to claim 10, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, further comprising the step of: (f) converting the input image, which has been converted into the vector data, into data in a format which can be handled by application software (Jain: see column 31, lines 12-14).

Referring to claim 12, Jain/Iwane/Loui/Rhodes discloses the method according to claim 10, further comprising the step of: (g) registering the first search information, in an index file, as an index [index value] for searching for an image represented by the outline data stored in the database in the step (d) (Jain: see column 7, lines 27-32).

Referring to claim 13, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, further comprising the step of: (f) outputting the original data file, wherein new pointer information is added to the original data file (Jain: see column 14, lines 7-19; Rhodes: see [0022]).

Referring to claim 14, Jain/Iwane/Loui/Rhodes discloses the method according to claim 13, wherein the new pointer information is added as a digital watermark to the original data file (Rhodes: see [0022]).

Referring to claim 15, Jain/Iwane/Loui/Rhodes discloses the method according to claim 1, wherein in the step (c), the original data file is searched for by using at least

Art Unit: 2167

one of keyword search [keywords], full-text search, and layout search (Jain: see Fig 3, item 201 and column 9, lines 11-15).

Referring to claim 16, Jain discloses an image processing system selectively stores an image file corresponding to an input image, comprising:

an input unit constructed to input acquiring first search information [alpha-numeric query] associated with the input image (see column 9, lines 11-15);

a unit constructed to search for acquiring feature data [feature vector] contained in the input image as second search information (see column 9, lines 45-48);

a search unit constructed to search for an original data file corresponding to the input image in a database by using the first [alpha-numeric query] and second [feature vector] search information (see column 9, lines 52-67); and

a unit constructed to convert the input image into data [vector data] and to store the data in the database [database 132] (Jain: see column 9, lines 40-52).

However, Jain fails to explicitly disclose the further limitation of the data being outline data and wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object. Iwane discloses obtaining an input image and then generating image information in order to compare objects (see abstract), including the further limitation of converting the input image into outline data and storing the outline data in the database (see [0244]), wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object (see [0173]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the outlining method of Iwane in order to gather the feature

Art Unit: 2167

information stored by Jain. One would have been motivated to do so in order to be able to extract features from an image in a case where OCR is not a viable solution (Iwane: see [0010]-[0012]).

However, Jain/Iwane fails to explicitly disclose the further limitation of wherein the original data file is only stored in a case where the original data file corresponding to the input is not found by said search unit; and a unit constructed to decline storing the input image data into the database, in a case that the original data file corresponding to the input image file is found by said search unit. Loui discloses a duplicate detection algorithm to determine whether two pictures are so similar that a consumer would only put one of them in the album [database], including the further limitations of wherein the image is only stored in a case where no original data file corresponding to the input image is found by said search unit; and a unit constructed to decline storing the input image data into the database, in a case that the original data file corresponding to the input image file is found by said search unit (see column 4, lines 11-51) since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the duplicate detection algorithm of Loui with the storage system of Jain/Iwane. One would have been motivated to do since the methodology of Loui can be embodied in any different types of systems (Loui: see column 7, lines 13-24) and since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

Art Unit: 2167

The combination of Jain/Iwane and Loui (hereafter Jane/Iwane/Loui) fails to explicitly disclose the further limitations of attempting to detect pointer information from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is detected. Rhodes discloses embedding watermarks into images (see abstract), including the further limitations of attempting to detect pointer information [watermark readers perform this function] from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is detected [carry a pointer or network address to its electronic original] (see [0024] and [0043]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to first attempt to search for a watermark pointing to the location of an original file as disclosed by Rhodes before searching for the file utilizing the search features of Jain/Iwane/Loui. One would have been motivated to do so in order to increase the efficiency and accuracy of the searching process since a pointer links directly to the original file.

Referring to claim 17, Jain discloses a computer executable program stored on a computer-readable medium for selectively storing an image file corresponding to an input image, comprising:

code [alpha-numeric query input module 106] for acquiring first search information [alpha-numeric query] associated with the input image on the basis of information input by a user (see column 9, lines 11-15);

Art Unit: 2167

code [Query Canvas module 108 or Image Browsing Module 110] for acquiring feature data [feature vector] contained in the input image as second search information (see column 9, lines 45-48);

code [VIR Engine 120 comprises modules] for searching for an original data file corresponding to the input image in a database by using the first [alpha-numeric query] and second [feature vector] search information (see column 9, lines 40-41 and 52-67); and

code for converting the input image into data [vector data] and to store the data in the database [database 132] (Jain: see column 9, lines 40-52).

However, Jain et al fails to explicitly disclose the further limitation of the data being outline data and wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object. Iwane discloses obtaining an input image and then generating image information in order to compare objects (see abstract), including the further limitation of converting the input image into outline data and storing the outline data in the database (see [0244]), wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object (see [0173]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the outlining method of Iwane in order to gather the feature information stored by Jain. One would have been motivated to do so in order to be able to extract features from an image in a case where OCR is not a viable solution (Iwane: see [0010]-[0012]).

Art Unit: 2167

However, Jain/Iwane fails to explicitly disclose the further limitation of wherein the image is only stored in a case where the original data file corresponding to the input is not found by said search unit; and code for declining storing the input image data into the database, in a case that the original data file corresponding to the input image file is found by said search unit. Loui discloses a duplicate detection algorithm to determine whether two pictures are so similar that a consumer would only put one of them in the album [database], including the further limitations of wherein the image is only stored in a case where no original data file corresponding to the input image is found by said search unit; and code for declining storing the input image data into the database, in a case that the original data file corresponding to the input image file is found by said search unit (see column 4, lines 11-51) since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the duplicate detection algorithm of Loui with the storage system of Jain/Iwane. One would have been motivated to do since the methodology of Loui can be embodied in any different types of systems (Loui: see column 7, lines 13-24) and since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

The combination of Jain/Iwane and Loui (hereafter Jane/Iwane/Loui) fails to explicitly disclose the further limitations of attempting to detect pointer information from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is detected. Rhodes

Art Unit: 2167

discloses embedding watermarks into images (see abstract), including the further limitations of attempting to detect pointer information [watermark readers perform this function] from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is detected [carry a pointer or network address to its electronic original] (see [0024] and [0043]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to first attempt to search for a watermark pointing to the location of an original file as disclosed by Rhodes before searching for the file utilizing the search features of Jain/Iwane/Loui. One would have been motivated to do so in order to increase the efficiency and accuracy of the searching process since a pointer links directly to the original file.

Referring to claim 18, Jain discloses a computer-readable medium having a computer executable program stored thereon for search for an original data file corresponding to an input image, the program comprising:

code [alpha-numeric query input module 106] for acquiring first search information [alpha-numeric query] associated with the input image on the basis of information input by a user (see column 9, lines 11-15);

code [Query Canvas module 108 or Image Browsing Module 110] for acquiring feature data [feature vector] contained in the input image as second search information (see column 9, lines 45-48); and

code [VIR Engine 120 comprises modules] for searching for an original data file corresponding to the input image by using the first [alpha-numeric query] and second [feature vector] search information (see column 9, lines 40-41 and 52-67); and

code for converting the input image into data [vector data] and to store the vector data in the database [database 132] (Jain: see column 9, lines 40-52).

However, Jain fails to explicitly disclose the further limitation of the data in step (d) being outline data and wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object. Iwane discloses obtaining an input image and then generating image information in order to compare objects (see abstract), including the further limitation of converting the input image into outline data and storing the outline data in the database (see [0244]), wherein the outline data indicates a visual representation of a tracing of the outline of a character or a graphic object (see [0173]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the outlining method of Iwane in order to gather the feature information stored by Jain. One would have been motivated to do so in order to be able to extract features from an image in a case where OCR is not a viable solution (Iwane: see [0010]-[0012]).

However, Jain/Iwane fails to explicitly disclose the further limitation of wherein the image is only stored in a case where the image file corresponding to the input is not found by said search unit; and code for declining storing the input image data into the database, in a case that the image file corresponding to the input image file is found by

Art Unit: 2167

said search unit. Loui discloses a duplicate detection algorithm to determine whether two pictures are so similar that a consumer would only put one of them in the album [database], including the further limitations of wherein the image is only stored in a case where no image file corresponding to the input image is found by said search unit; and code for declining storing the input image data into the database, in a case that the image file corresponding to the input image file is found by said search unit (see column 4, lines 11-51) since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the duplicate detection algorithm of Loui with the storage system of Jain/Iwane. One would have been motivated to do since the methodology of Loui can be embodied in any different types of systems (Loui: see column 7, lines 13-24) and since the concept of storing only one copy of an image increases storage efficiency and search efficiency.

The combination of Jain/Iwane and Loui (hereafter Jane/Iwane/Loui) fails to explicitly disclose the further limitations of attempting to detect pointer information from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is detected. Rhodes discloses embedding watermarks into images (see abstract), including the further limitations of attempting to detect pointer information [watermark readers perform this function] from the input image indicating a storage location of an original data file in the database and using the pointer information in a case that the pointer information is

Art Unit: 2167

detected [carry a pointer or network address to its electronic original] (see [0024] and [0043]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to first attempt to search for a watermark pointing to the location of an original file as disclosed by Rhodes before searching for the file utilizing the search features of Jain/Iwane/Loui. One would have been motivated to do so in order to increase the efficiency and accuracy of the searching process since a pointer links directly to the original file.

Referring to claim 19, Jain/Iwane/Loui/Rhodes discloses the method according to claim 13, wherein the new pointer information is added as a two-dimensional barcode [digital watermarking] to the original data file (Rhodes: see [0022]).

Response to Arguments

6. Applicant's arguments with respect to claims 1-5, 7, 8, 10 and 12-19 have been considered but are moot in view of the new ground(s) of rejection.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KIMBERLY LOVEL whose telephone number is (571)272-2750. The examiner can normally be reached on 8:00 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cottingham can be reached on (571) 272-7079. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/John R. Cottingham/
Supervisory Patent Examiner, Art Unit 2167

Kimberly Lovel
Examiner
Art Unit 2167

7 November 2008
kml

Application/Control Number: 10/828,470
Art Unit: 2167

Page 18